

**FLORIKAN®**

16-6-8 NUTRICOTE® TOTAL

UP TO 270 DAYS

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)*	16.00%
8.30% NITRATE NITROGEN	
7.70% AMMONIACAL NITROGEN	
AVAILABLE PHOSPHATE (P ₂ O ₅)*.....	6.00%
SOLUBLE POTASH (K ₂ O)*.....	8.00%
MAGNESIUM (Mg)*.....	2.20%
2.20% WATER SOLUBLE MAGNESIUM (Mg)	
IRON (Fe)*.....	0.18%
0.18% CHELATED IRON (Fe)	
MOLYBDENUM (Mo)*.....	0.01%

Derived From: Polymer Coated: Ammonium Nitrate; Ammonium Phosphate; Calcium Phosphate; Potassium Nitrate; Magnesium Sulfate; Iron EDTA; Sodium Molybdate

*All of the materials listed above have been polymer coated to provide 16% slow release Nitrogen (N), 6% slow release available Phosphate (P₂O₅), 8% slow release soluble Potash (K₂O), 2.2% slow release Magnesium (Mg), 0.18% slow release Iron (Fe), and 0.01% slow release Molybdenum (Mo).

SKU: 16-6-8-270-3S**F1062**

CAUTION: The application of fertilizing materials containing Molybdenum (Mo) may result in forage crops containing levels of Molybdenum (Mo) which are toxic to ruminant animals.

Guaranteed by: Florikan E.S.A. Corporation
1579 Barber Road, Sarasota, FL 34240

QC BATCH NUMBER

label
Last chg 6/25/08

TOP-DRESS RATES (GRAMS / POT)

ZONES 6-8					ZONES 9-10				
TYPE	UP TO 270 DAYS				TYPE	UP TO 270 DAYS			
ITEM #	16-6-8-270-3S				ITEM #	16-6-8-270-3S			
POT SIZE	LOW	MED	HIGH		POT SIZE	LOW	MED	HIGH	
1 GAL	10	15	20		1 GAL	15	30	40	
2 GAL	25	40	55		2 GAL	35	50	75	
3 GAL	45	60	90		3 GAL	65	85	105	
5 GAL	60	85	110		5 GAL	80	110	150	
7 GAL	75	100	120		7 GAL	100	140	175	
10 GAL	105	145	190		10 GAL	140	190	200	
15 GAL	120	165	210		15 GAL	155	220	260	
25 GAL	210	250	330		25 GAL	250	375	425	
45 GAL	300	425	600		45 GAL	425	600	800	
65 GAL	375	500	700		65 GAL	500	700	950	
100 GAL	575	850	1200		100 GAL	850	1200	1700	

The above baseline top-dress rates are provided as a guide only. Specific rates will vary by region, soil type, and performance requirements. Before deciding which formulation, release type, and rate to use, contact your Florikan Technical Representative. They will advise you in choosing the correct Florikan CRF for your crop and conditions.

INCORPORATION RATES (POUNDS / CUBIC YARD)

ZONES 6 - 8					ZONES 9 - 10				
ITEM #	16-6-8-270-3S				ITEM #	16-6-8-270-3S			
LBS. / CU. YD.	LOW	MED	HIGH		LBS. / CU. YD.	LOW	MED	HIGH	
	9	15	21			13	17	23	

NOTE: LOW/MED/HIGH is crop specific information. HIGH refers to a heavy feeding crop, LOW is for a sensitive feeding crop.

APPLICATION RATES

BROADCAST			
ITEM #	16-6-8-270-3S		
(LBS/1000 SQ. FT.)	LOW	MED	HIGH
	9	12	15

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

Environmental Caution: As a precaution, fertilizer products should not be applied within 10 feet of any water body.

- Do not apply near water, storm drains or drainage ditches.
- Do not apply if heavy rain is expected.
- Apply this product only to your lawn/garden and sweep any product that lands in the driveway, sidewalk, or street, back onto your lawn/garden.

CAUTION!

KEEP OUT OF REACH OF CHILDREN
HARMFUL IF SWALLOWED
Nutricote must be stored under cool and dry conditions. Nutricote must be applied after the medium has been steam sterilized.

Net Weight 50lbs / 22.67kg