



NUTRICOTE® TOTAL 17-7-8 2-STAGE™

AVERAGE MEDIAN TEMPS					
60°F		70°F		80°F	
420	14	390	13	360	12
LONGEVITY IN DAYS & MONTHS (UP TO)					

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)*	17.00%
8.90% NITRATE NITROGEN	
8.10% AMMONIACAL NITROGEN	
AVAILABLE PHOSPHATE (P ₂ O ₅)*	7.00%
SOLUBLE POTASH (K ₂ O)*	8.00%
MAGNESIUM (Mg)*	1.20%
1.20% WATER SOLUBLE MAGNESIUM (Mg)	
BORON (B)*	0.02%
COPPER (Cu)*	0.05%
IRON (Fe)*	0.20%
0.20% CHELATED IRON	
MANGANESE (Mn)*	0.06%
0.06% WATER SOLUBLE MANGANESE (Mn)	
MOLYBDENUM (Mo)*	0.02%

Derived From: Polymer Coated: Ammonium Nitrate; Ammonium Phosphate; Calcium Phosphate; Potassium Nitrate; Magnesium Sulfate; Sodium Borate; Copper Sulfate; Manganese Sulfate; Iron EDTA; Sodium Molybdate

*All the listed materials have been polymer coated to provide 17% slow release Nitrogen, 7% slow release available Phosphate, 8% slow release soluble Potash, 1.20% slow release Magnesium, 0.02% slow release Boron, 0.05% slow release Copper, 0.20% slow release Iron, 0.06% slow release Manganese, and 0.02% slow release Molybdenum

17-7-8-360-2S

F1062

Guaranteed by: Florikan E.S.A. Corporation
1579 Barber Road, Sarasota, FL 34240

QC BATCH NUMBER

label
Last chg 5/7/09

TOP-DRESS RATES (GRAMS / POT)

ZONES 6-8					ZONES 9-10				
TYPE	UP TO 360 DAYS				TYPE	UP TO 360 DAYS			
ITEM #	17-7-8-360-2S				ITEM #	17-7-8-360-2S			
POT SIZE	LOW	MED	HIGH		POT SIZE	LOW	MED	HIGH	
1 GAL	10	15	30		1 GAL	15	30	40	
2 GAL	30	45	65		2 GAL	45	65	85	
3 GAL	50	70	105		3 GAL	70	105	120	
5 GAL	70	95	130		5 GAL	95	130	155	
7 GAL	85	110	140		7 GAL	110	140	175	
10 GAL	120	160	220		10 GAL	160	220	265	
15 GAL	145	200	230		15 GAL	190	240	390	
25 GAL	225	300	375		25 GAL	300	375	500	
45 GAL	375	525	650		45 GAL	525	650	900	
65 GAL	450	575	725		65 GAL	575	725	1000	
100 GAL	650	950	1225		100 GAL	950	1225	1725	

The above baseline top-dress rates are provided as a guide only. Specific rates will vary by region, soil type, and performance requirements. Before deciding which formulation, release type, and rate to use, contact your Florikan Technical Representative. They will advise you in choosing the correct Florikan CRF for your crop and conditions.

INCORPORATION RATES (POUNDS / CUBIC YARD)

ZONES 6 - 8					ZONES 9 - 10				
ITEM #	17-7-8-360-2S				ITEM #	17-7-8-360-2S			
LBS. / CU. YD.	LOW	MED	HIGH		LBS. / CU. YD.	LOW	MED	HIGH	
	12	17	22			14	20	24	

NOTE: LOW/MED/HIGH is crop specific information. HIGH refers to a heavy feeding crop, LOW is for a sensitive feeding crop.

APPLICATION RATES

BROADCAST			
ITEM #	17-7-8-360-2S		
(LBS/1000 SQ. FT.)	LOW	MED	HIGH
	14	16	20

Environmental Caution: As a precaution, fertilizer products should not be applied within 10 feet of any water body.

- Do not apply near water, storm drains or drainage ditches.
- Do not apply if heavy rain is expected.
- Apply this product only to your lawn/garden and sweep any product that lands in the driveway, sidewalk, or street, back onto your lawn/garden.

CAUTION!

KEEP OUT OF REACH OF CHILDREN
HARMFUL IF SWALLOWED
Nutricote must be stored under cool and dry conditions. Nutricote must be applied after the medium has been steam sterilized.

Net Weight 50lbs / 22.67kg